


Xtreme-Light™

**NEWLY
TESTED TO 15K PSI
HYDROSTATIC PRESSURE**



FEATURES:

Xtreme-Light™ fiber has extreme toughness with a unique, high modulus coating for better survivability in harsh environments. Xtreme-Light™ cable designs are solid, compression resistant constructions withstanding hydrostatic pressures at depths to 10 Km. Hydrostatic pressure tested to 15K PSI with only .37 db loss.

SIMPLEX DESIGNS:

Flexible fiber tether with high modulus coated fiber, synthetic strength member and xtreme grade polyurethane jacket.

MULTI-FIBER DESIGNS:

Compact designs with semi-rigid center strength core, waterblock interstices and xtreme grade polyurethane jacket.

OPTIONAL:

Increased strength designs, including steel armor may be ordered.

FIBER PROPERTIES:

Falmat exclusively uses premium grade "Corning" fiber optics with values as listed:

Fiber:	Single Mode	Multimode
Diameters:	9.3/125/250/900um	62.5/125/250/900um
Attenuation (max) db/km:	@1310nm/1.0 @1550nm/.75	@850nm/3.75 @1300nm/1.5
Proof Test:	200 kpsi	200 kpsi
Temperature Range		
Coated Fiber:	-60c to 150c	-60c to 150c
Xtreme PU Jacketed:	-60c to 125c Short Term -60c to 100c Long Term	-60c to 125c Short Term -60c to 100c Long Term

PART NUMBER	TYPE / POWER	BREAK STRENGTH	FINISHED DIAMETER		MIN BEND RADIUS	WT. LB/M'
			LBS.	INCH		
SIMPLEX			LBS.	INCH	MM	INCH
FM011402SM12	Single Mode	300	.092	2.3	2.0	3.0
FM011402SM13	Single Mode	300	.118	3.0	2.0	5.6
FM011402MM12	MM 62.5/125	300	.092	2.3	2.0	3.0
FM011402MM13	MM 62.5/125	300	.118	3.0	2.0	5.6
SIMPLEX NEUTRAL BUOYANT *				INCH	MM	INCH
FM011402SMNBT	Single Mode	300	.144	3.7	2.0	3.0
FM011402MMNBT	MM 62.5/125	300	.144	3.7	2.0	3.0
FM011402SMNBF*	Single Mode	300	.100	2.5	2.0	3.0
FM011402MMNBF*	MM 62.5/125	300	.100	2.5	2.0	3.0
MULTIFIBER				INCH	MM	INCH
FM011402SM33	3 ea.	200	.180	4.6	3.0	14
FM011402SM34	4 ea.	200	.180	4.6	3.0	14
FM011402SM36	6 ea.	200	.180	4.6	3.0	15
FM011402MM33	3 ea.	200	.180	4.6	3.0	14
FM011402MM34	4 ea.	200	.180	4.6	3.0	14
FM011402MM36	6 ea.	200	.180	4.6	3.0	15

* Foam Polyurethane Jacket designs only rated to 150m depth.



1873 DIAMOND STREET SAN MARCOS, CA 92069 U.S.A.

TEL: (760) 471-5400 (800) 848-4257 FAX: (760) 471-4970 WEB: WWW.FALMAT.COM

Revised 02/14/11