MMA-7500

- Miniature ARGOS beacon
- Submersible for up to 2 years
- Communicates via the ARGOS Satellite System
- Self-contained submersible to 7,500m



TRACKING & MONITORING

NOVATECH™ products have been proven throughout the world's oceans and trusted around the globe for over 40 years.

The NOVATECH™ MMA-7500 is a deep rated, small form-factor, lightweight, self-contained ARGOS locator beacon. Introduced as part of the new Mini-Beacon line, the MMA-7500 has been added to the NOVATECH™ family of asset recovery devices. The device can be turned ON or OFF by triggering the internal reed switch with a magnet. The activation of the MMA-7500 is completely automatic and water sensor controlled. The water sensor is located in the antenna base—when submerged, the beacon goes into lowpower hibernation mode.

Powered with Lithium, this miniature recovery aid is designed for long term ocean deployments (up to 2 years submerged), with enough power to transmit an ARGOS position data messages for 90 days. The Mini-Beacon housing includes an integrated conductivity sensor that isolates the unit's power while submerged and activates the device upon surfacing.



MMA-7500

TECHNICAL SPECIFICATIONS

PHYSICAL

- Diameter: 1.00" (25 mm)
- Height (without antenna): 16.50" (420 mm)
- Mass in air (with batteries): 0.56 kg (1.25 lb)
- Mass in water (with batteries): 0.34 kg (0.75 lb)

CONSTRUCTION

- Hull Material: Titanium (Grade 2)
- · Cap Material: Titanium (Grade 5)
- · Lens Material: Polycarbonate / Epoxy
- · Color: Natural

POWER

- Output: From 500mW to 1 watt (voltage dependant)
- · Antenna Output Impedance: 50 ohms nominal
- · Batteries: 8 CR123A Lithium cells

PROGRAMMING INTERFACE

- Serial Interface: TTL level 9600 baud (firmware bootloader standard)
- · ARGOS-II Band (S1-S23, L1-L3)
- Channels: User selectable, 401.6300 to 401.6800 MHz

OPERATIONAL

- Temperature: -40°C to 60°C
- Maximum Depth: 7,500 m (24,600 ft)
- Operating Life: 2 years underwater
- · Water Switch Hysteresis: 90 seconds

STORAGE

- Temperature: -40°C to 60°C (-40°F to 140°F)
- · Life: 10 years at 25°C, 90% capacity

HEAD OFFICE

MetOcean Telematics 21 Thornhill Drive Dartmouth, Nova Scotia Canada B3B 1R9 sales@metocean.com

UNITED STATES

MetOcean Telematics 1750 Tysons Blvd Suite 1500, Office 1547 McLean, VA 22102 sales@metocean.com

+1 844 728 2868

UNITED KINGDOM

MetOcean Telematics Hilldale Farm Titchfield Lane, Wickham, UK P017 5NZ sales@metocean.com

+44 1489 888 555

CANADA

MetOcean Telematics 2 Gurdwara Rd Suite 608 Ottawa, Ontario Canada K2E 1A2 sales@metocean.com

+1 613 702 3196